



CATALOGUE 2024



CATALOGUE 2024

CONTENT

BOUT US	8
ALUES	10
ONCEPT	14
COUSTICS/DESIGN/ ECHNOLOGY/MATERIAL	16
ICROOFFICE NIQ RIME UBIQ UADRIO I—IV EALM	18 20 24 28 36 48
PARK PARK PARK² PARK⁴	52 54 56 58
DDITIONAL EQUIPMENT / CONNECTION SET JRNITURE LARITY SYSTEM	62 64 66 70
OMPARISON	72
ESIGNERS	74
ESIGNERS E ATING YSPOT BOND OVE ETAL	74 78 80 84 88
EATING YSPOT BOND OVE	78 80 84
EATING YSPOT BOND OVE ETAL DUND ABSORPTION FILL SKY FILL YSPACE HADE TIMBER HADE HEAVY HADE MARK OSS OSS HANG LENT TREE	78 80 84 88 92 94 98 102 106 110 114 118 122 126

WHEN ALL YOU WANT **IS A QUIET PLACE TO WORK**





We like peace and quiet at work. That's why we started SilentLab: to make silence and deliver it wherever it is scarce. Our unique acoustic concept will soundproof anything in your interior and bring peace and privacy to even the noisiest of spaces.

Open plan offices are more popular than ever, but more human interaction means more noise. In order to create soundproofed spaces where employees can concentrate on their work better, we have acoustic experts on our team and manufacture all products ourselves. In our production halls in the Czech Republic, we create unique soundproof mobile pods, acoustic wall and ceiling panels, dividers and acoustic seating and poufs.

We design comprehensive acoustics for your space according to your specifications. To ensure that everything works perfectly, we are also happy to prepare fully customized solutions. Since we love design as much as we love quiet, we pay as much attention to how they look as to how well they work.

ABOUT US



SUCCESS

We will not settle for compromise. Whatever we do, we always aim to exceed our customers' expectations and deliver the highest quality products and services.

COURAGE

We're not afraid to venture into the unknown. We see atypical and complex projects as challenges we are happy to meet.

TEAM ENERGY

We have fun together and it shows in our work, but we also know how to pull together when the going gets tough. We never give up.

QUALITY


We provide premium products and services, so we stand behind their 100% quality. Every implementation at the customer's site is unique to us and represents an opportunity to improve and gain new experience.

SUSTAINABILITY

We are serious about a sustainable future for our company, our community and our planet. We cherish the environment and do our best to treat it with respect.

VALUES





Our iconic MICROOFFICE® and SPARK ranges create an oasis of silence right in the midst of office hustle and bustle. Only a door click separates you from uninterrupted work. Whether you need to handle a business call, focus on tasks, or simply enjoy some privacy, our soundproof pods provide absolute isolation while keeping you emotionally and visually connected to everything around you.

Design approach is one of duality, an act of balance between fundamental principles - body and space, transparent and unobtrusive, unyielding yet soft, intimate yet open.

The interior space is surrounded on all sides by a solid shell. The resulting object is opaque from one point of view, a tangible barrier dividing two worlds. From another perspective, it is nearly invisible as it merges with its surroundings. The UNIQ, QUADRIO III a IV glass ceiling adds the bonus of natural daylight inside the meeting room. In addition, pro-cognitive lighting can be installed to make you feel like you are working in the open air.


The innovative new SPARK range brings peace and quiet to the demanding conditions of manufacturing and logistics halls, medical facilities and noisy offices. It differs from the upholstered MICROOFFICE® range by its highly resistant powder-coated steel shell.

Execution and choice of materials are a priority for us. Flawless workmanship, sophisticated details and the perfection of all elements underline the simplicity and strength of the whole concept.

CONCE Σ









ACOUSTICS

Our products are our answer to noise in modern open space offices. Perfectly functional interior and exterior acoustics not only ensure you a quiet place to work, but also promote concentration and let you hear yourself think. High-quality materials, a quiet ventilation system, and precision soundproof doors ensure exceptional sound isolation, both internally and externally, in our acoustic pods.

We have concentrated on working with the ideal reverberation time and the natural sound of the spoken word, which you will appreciate especially during telephone or conference calls. Optimal placement of sound absorption materials keeps the acoustic environment quiet and pleasant.

TECHNOLOGY

Maximum comfort is needed for efficient work. An innovative ventilation system, gives you a constant supply of fresh air so you can use your workspace for hours without interruption.

Besides the ventilation system and LED lighting, an absolute standard also includes an electrical socket, motion sensor, and control panel for ventilation and lighting.

The optional lighting in the form of pro-cognitive light also contributes to improved cognitive performance at work, subjective satisfaction and overall comfort. It not only contributes to higher energy but also improves health, mood and regeneration.



DESIGN


We have combined a modern acoustic concept with a minimalist and functional design. The horizontal segmentation of the upholstered surfaces breaks up the dimensions and adds to the elegance of the unit as a whole. Rounded edges in the acoustic room emphasize harmony, relaxation and comfort. The entire complex is organized to follow the ideal ergonomics and the correct height distribution of the interior for maximum comfort.

MATERIAL

Behind the perfect acoustics is a careful selection of quality materials. Soundproofing is expertly attained through the integration of acoustic infills and specialized soundproof glass. The solid construction is upholstered with fabrics that are pleasant to the touch and available in the color and texture you choose from our swatches.

The sophisticated design is complemented by the unobtrusive metal elements making up the individual construction details and the perfect connection of the glass walls. The warm allure of oak wood infuses vitality into the interior, elevating its aesthetic appeal.







ICONIC DESIGN AND BLESSED SILENCE







reddot design award winner 2019



MICROOFFICE

E

QIN

UNIQ


Sometimes you need some quiet time to focus, but you also want to stay in touch with what's going on in the office. UNIQ respects both requirements. The glass roof and two glass walls let in plenty of natural light, while the noise-resistant glass and acoustic upholstery ensure perfect soundproofing.





Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	1177 \times 2285 \times 1004 mm / 46.3 \times 90 \times 39.5 in	
interior dimensions (w \times h \times d)	898 \times 2097 \times 933 mm / 35.4 \times 81.9 \times 36.7 in	
weight	385 kg / 848 lb	
glass walls	sound-insulating glass	
solid walls	sound-absorbing sandwich panel with acoustic insulation	
glass wall frame and door handle	oak/black varnish	
ceiling	glazed ceiling	
flooring	carpet (anthracite grey)	
ventilation	standard air flow: 124 m³/h maximum air flow: 322 m³/h	
lighting	LED chromaticity temperature 2700 K	
standard equipment	electric socket (1x), connection USB C CHARGER 1x USB A 1x, motion sensor, desk, lamp, ventilation, glazed ceiling, control panel for lighting and air ventilation	2 2 10
optional equipment	refer to the pricelist	mi Z Z / mm
color options	decorative fabric (refer to swatches)	1100 ~
certification		









OASIS OF PEACE FOR INDIVIDUALS





MICROOFFICE

PRIME

PRIME

The ideal space for concentrating on work in a noisy office. PRIME not only provides sufficient privacy and quiet, but also serves as an acoustic element for the . surrounding space. Thanks to the wall upholstery made of high-quality acoustic materials, it absorbs ambient sounds and dampens noise in the office.





Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	1175 \times 2285 \times 995 mm / 46.3 \times 90 \times 35.9 in	
interior dimensions (w \times h \times d)	900 \times 2080 \times 915 mm / 35.4 \times 81.9 \times 36 in	
weight	370 kg / 815 lb	
glass walls	sound-insulating glass	
solid walls	sound-absorbing sandwich panel with acoustic insulation	
glass wall frame and door handle	oak/black varnish	
ceiling	sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered	T
flooring	carpet (anthracite grey)	. <u>L</u>
ventilation	standard air flow: 102 m³/h maximum air flow: 322 m³/h	2285 mm / 90 in
lighting	LED, chromaticity temperature 4200 K	228
standard equipment	electric socket (1×), motion sensor, desk, LED lighting, ventilation, control panel for lighting and air ventilation	L I
optional equipment	refer to the pricelist	m / 4
color options	decorative fabric (refer to swatches)	1060 mm / 42 in
certification	C C C C L L L L L L L L L L L L L L L L	











FOCUS ROOM WITH VARIABLE SPACE



reddot design award winner 2019

MICROOFFICE




CUBIQ

Do you need to concentrate? Looking for a place where you can think or have a conversation without distractions?

CUBIQ variable focus room can accommodate two to four people. It is large enough that you can separate your workspace and replace one workstation with a perfect oasis of silence. With up to four different layout options, it can accommodate, for example, bar seating, comfortable chairs or video conferencing equipment.



Technical sheet




exterior dimensions (w \times h \times d)	1777 \times 2285 \times 1600 mm / 70 \times 90 \times 63 in
interior dimensions (w \times h \times d)	1501 \times 2074 \times 1480 mm / 59.1 \times 81.7 \times 58.3 in
weight	600 kg / 1322 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 304 m³/h maximum air flow: 492 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (2×), motion sensor, LED lighting, ventilation, control panel ventilation and lighting
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	CE CU us \bigwedge_{FSC}^{i} *









EQUIPMENT OPTIONS CUBIQ



ONE TO ONE

Upholstered benches, material and fabric color based on swatches. Black metal legs. The table has an oiled oak top and black metal leg (if you choose the black color option, the desk is also black).







BAR TABLE


Bar table assembly.






VIDEOCONFERENCE

Upholstered armchair, material and color of fabric based on swatches. Black metal legs. The table has an oiled oak top and black metal leg (if you choose the black color option, the desk is also black). TV holder for videoconferencing available in full wall.




FOCUS


Height adjustable table assembly with black metal chair frame.



CUBIQ











UNIVERSAL MEETING ROOM THAT GROWS WITH YOU







MICROOFFICE




QUADRIO I

The universal QUADRIO system grows with you. Choose one of the four available options to suit you and your colleagues.

QUADRIO I for two to four people gives you both privacy and comfort.




Technical sheet





TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	2520 \times 2285 \times 1317 mm / 99.2 \times 90 \times 51.9 in
interior dimensions (w \times h \times d)	2246 \times 2128 \times 1196 mm / 88.4 \times 83.8 \times 47.1 in
weight	625 kg / 1377 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 292 m³/h maximum air flow: 492 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (2×), motion sensor, LED lighting, ventilation, control panel ventilation and lighting
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	

cUUus	, GSC FSC
-------	-----------------







QUADRIO II


QUADRIO II fits up to five people comfortably. You'll be able to hold team meetings without being disturbed.





Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	2520 \times 2285 \times 1944 mm / 99.2 \times 90 \times 76.5 in
interior dimensions (w \times h \times d)	2246 \times 2128 \times 1824 mm / 88.4 \times 83.8 \times 71.8 in
weight	750 kg / 1653 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 347 m³/h maximum air flow: 492 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (3x), motion sensor, LED lighting, ventilation, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	CE CU US SSC *







QUADRIO II ACCESS

QUADRIO II ACCESS is a cutting-edge, wheelchairaccessible meeting room with special design features for users with reduced mobility. It offers a quiet, serene workspace with ergonomic design for universal comfort.



Technical sheet

TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	2520 \times 2285 \times 1944 mm / 99.2 \times 90 \times 76.5 in
interior dimensions (w \times h \times d)	2246 \times 2128 \times 1824 mm / 88.4 \times 83.8 \times 71.8 in
weight	800 kg / 1764 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 347 m³/h maximum air flow: 492 m³/h .⊆
lighting	LED, chromaticity temperature 4200 K
standard equipment	LED, chromaticity temperature 4200 K electric socket (3x), motion sensor, LED lighting, ventilation, control panel for lighting and air ventilation, table, access ramp, button for automatic door opening, automatic self-closer
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	





42

QUADRIO III

QUADRIO III offers a variant with a glass ceiling and lets in enough natural light to keep you comfortable even during longer meetings. It can accommodate up to seven people.





Technical sheet

Image: state stat

TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	$2520\times2285\times2856$ mm / $99.2\times90\times112.4$ in
interior dimensions (w \times h \times d)	2245 \times 2128 \times 2736 mm / 88.4 \times 83.8 \times 107.7 in
weight	950 kg / 2094 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation / glazed ceiling, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 433 m³/h maximum air flow: 884 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (3×), motion sensor, LED lighting, ventilation, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	







QUADRIO IV

QUADRIO IV offers space for up to nine people. It quickly provides you with a full-fledged meeting room without the need for costly structural changes.



Technical sheet





TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	2520 \times 2285 \times 3768 mm / 99.2 \times 90 \times 148.4 in
interior dimensions (w \times h \times d)	2245 \times 2128 \times 3648 mm / 88.4 \times 83.8 \times 143.6 in
weight	1150 kg / 2535 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation / glazed ceiling, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 582 m³/h maximum air flow: 884 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (3x), motion sensor, LED lighting, ventilation, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	C C C CULUS SEC *





WELLBEING MEETING ROOM FOR TEAM COMFORT AND EFFICIENCY





MICROOFFICE


REALM

REALM

Are you in the office and still want to feel at home? Achieving workplace comfort is easier than you might think! Whether it's a formal meeting, tackling a big project, or simply having an informal gathering, our wellbeing acoustic meeting room provides the perfect setting.




Technical sheet




TECHNICAL DETAILS

exterior dimensions (w \times h \times d)	2520 \times 2285 \times 2856 mm / 99.2 \times 90 \times 112.4 in
interior dimensions (w \times h \times d)	2245 \times 2128 \times 2736 mm / 88.4 \times 83.8 \times 107.7 in
weight	950 kg / 2094 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	oak/black varnish
ceiling	sound-absorbing sandwich panel with acoustic insulation / glazed ceiling, the roof is not upholstered
flooring	carpet (anthracite grey)
ventilation	standard air flow: 433 m³/h maximum air flow: 884 m³/h
lighting	LED, chromaticity temperature 4800 K
standard equipment	electric socket (3x), motion sensor, LED lighting, ventilation, control panel for air ventilation and lighting, seating, coffee table, shelfs, coat hooks, glazed ceiling, AV connection set
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
certification	














SPARK

Add sparkle to your working environment. SPARK is our first acoustic meeting room with increased mechanical resistance while retaining its maximum functionality and elegant curves. It can cope with even the most demanding conditions and is easy to maintain. It is therefore perfectly suited to production halls or public areas.



Technical sheet

exterior dimensions (w \times h \times d)	1110 \times 2226 \times 930 mm / 43.7 \times 87.6 \times 36.6 in	
interior dimensions (w \times h \times d)	850 \times 2057 \times 864 mm / 33.4 \times 80.9 \times 34 in	
weight	350 kg / 771 lb	
glass walls	sound-insulating glass	
solid walls	sound-absorbing sandwich panel with acoustic insulation	
glass wall frame and door handle	beech (black varnish)	
ceiling	sound-absorbing sandwich panel with acoustic insulation	
flooring	carpet (anthracite grey)	Т
ventilation	standard air flow: 120 m³/h maximum air flow: 341 m³/h	2226 mm / 87.6 in
lighting	LED, chromaticity temperature 4200 K	26 mr
standard equipment	electric socket (1x), ventilation, motion sensor, desk, LED lighting, sprinkler / fire detection system provision, control panel for lighting and air ventilation	Ţ
optional equipment	refer to the pricelist	n / 41
material lines – interior	decorative fabric Bombay 36	1053 mm / 41.5 in
color options cladding – exterior	powder coated steel – fine texture	± [
certification	CE	~






SPARK²


SPARK² is the ideal place for for one-on-one meetings when you don't want to be disturbed by anyone. This innovative acoustic room with an interesting design ensures maximum attenuation of ambient sounds and better working conditions in any noisy area. Its easy-to-maintain durable surface makes it an excellent choice for offices, production halls, and even the healthcare sector with a special interior treatment.




Technical sheet

exterior dimensions (w \times h \times d)	2220 \times 2226 \times 930 mm / 87.4 \times 87.6 \times 36.6 in
interior dimensions (w \times h \times d)	1968 \times 2057 \times 864 mm / 77.5 \times 80.9 \times 34 in
weight	695 kg / 1532 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	beech (black varnish)
ceiling	sound-absorbing sandwich panel with acoustic insulation
flooring	carpet (anthracite grey)
ventilation	standard air flow: 250 m³/h maximum air flow: 341 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (2x), ventilation, motion sensor, LED lighting, sprinkler / fire detection system provision, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
material lines – interior and seating	decorative fabric Bombay 36
color options cladding – exterior	powder coated steel – fine texture
certification	CE








SPARK⁴


Discover the SPARK⁴, which will catch your attention with its distinctive look, powder-coated steel exterior available in eight colors, and a wide range of technological innovations. The quiet office is designed for two to four people for private meetings even in challenging conditions.



Technical sheet



exterior dimensions (w \times h \times c	l) 2220 × 2226 × 1850 mm / 87.4 × 87.6 × 72.8 in
interior dimensions (w \times h \times d)	1968 \times 2057 \times 1770 mm / 77.5 \times 81 \times 67 in
weight	1150 kg / 2535 lb
glass walls	sound-insulating glass
solid walls	sound-absorbing sandwich panel with acoustic insulation
glass wall frame and door handle	beech (black varnish)
ceiling	sound-absorbing sandwich panel with acoustic insulation
flooring	carpet (anthracite grey)
ventilation	standard air flow: 400 m³/h maximum air flow: 626 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (3×), ventilation, motion sensor, LED lighting, sprinkler / fire detection system provision, control panel ventilation and lighting
optional equipment	refer to the pricelist
material lines – interior and seating	decorative fabric Bombay 36
color options cladding – exterior	powder coated steel – fine texture
certification	CE









Do you have high standards? We have a whole range of accessories for the discerning customer. You can choose from a variety of furniture and premium technologies that will elevate the quality of your working environment.

ADDITIONAL


AV CONNECTION SET

Do you have a client or teammate on the other side of the world? We'll deliver our acoustic pods with complete AV connection set. This makes it easy to install your equipment and the video conferencing experience is almost on par with an in-person meeting.

We can install the AV connection set on the glass wall or on the right side of the panel, whichever you prefer.



Technical sheet




*illustration of a possible layout configuration





FURNITURE

UNIQ/PRIME/SPARK



CUBIQ







700 mm

Technical sheet


QUADRIO I




UNIQ/PRIME/CUBIQ/QUADRIO I, II, III, IV, REALM



* Detailed information on individual products is available in the technical data sheets. All furniture dimensions are given in millimeters. Illustration of a possible solution.




QUADRIO III/IV



FURNITURE


SPARK²

SEATING ONE TO ONE



SPARK^₄





* Detailed information on individual products is available in the technical data sheets. All furniture dimensions are given in millimeters. Illustration of a possible solution.



CLARITY SYSTEM

We want to make your time in the booth as comfortable as possible. That's why we offer the Clarity System technology, based on an air treatment system, ionization, which together with the high air flow through our powerful fans ensures freshness, ionization and disinfection of the air inside our quiet zones without the use of chemicals.



Technical sheet

TECHNICAL DETAILS

location	inside the ventilation bowels $MICROOFFICE^{\scriptscriptstyle (0)}$
ozone concentration inside MICROOFFICE®	< 0,01ppm*
ion production	10 000–200 000 positive and negative lons per cm ²
certification	RoHS, EMC, CE and UL

* The international standard for ozone concentration is defined by a maximum value of 0,05ppm.

IONIZER FUNCTION

- effectively neutralizes a wide range of hazardous microorganisms including COVID and SARS
- neutralizes odors
- reduces the risk of allergic reactions in allergy sufferers
- discharges static electricity and prevents electrostatic build-up
- does not use chemical air treatment
- effectively disinfects rooms

Clarity System is fully integrated into the ventilation system.











Comparison

Find out which model is best for you.

Gain an overview of the differences between our acoustic meeting pods.

COMPARISON



JAN KALIVODA & VOJTĚCH KAAS **PROGRES ARCHITEKTI**

We are an architecture studio. We've been working with space, mass, light, materials and feelings in projects large and small since 2006. We believe that respecting the unique conditions for each project makes architecture. Strong, functional, balanced.

We take pride in a job well done. Our projects place a high emphasis on the quality of the indoor space. Ergonomics, lighting, and especially acoustics are key topics for us, and our designs for the MICROOFFICE® and SPARK product ranges reflect as much.


We greatly value our partnership with SilentLab, as they are one of the few not afraid to seek out new paths and push the boundaries of what is technically possible. The result is exceptional products with international recognition.

DESIGNERS













ACOUSTIC SEATING

MYSPOT BOND


MYSPOT BOND

Get comfortable in the MYSPOT BOND acoustic armchair. The wide side walls provide plenty of privacy for uninterrupted phone calls or a moment of reflection. You can combine the chairs freely to create the set-up you want.




Technical sheet





top view





TECHNICAL DETAILS

dimensions (w × h × d)860 × 1290 × 1000 mm / 33.9 × 50.8 × 39.4 inchair frameoak, lacquered steelback rest + pillowupholstered acoustic PET materialfinishdecorative fabric (refer to swatches)





EASILY MOVABLE POUF

ACOUSTIC POUFS

MOVE


MOVE


Brighten up your office with MOVE acoustic poufs. Their body consists of lightweight acoustic foam with high sound absorption you can choose any shape you like. The poufs can be easily repositioned by the felt handles to suit your needs.




Technical sheet









basic dimensions (w \times h \times d) SQUARE	460 \times 450 \times 460 mm / 18.1 \times 18 \times 18.1 in
basic dimensions ROUND	diameter 460 mm/ 18.1 in height 450 mm/18 in
basic dimensions (w \times h \times d) DROP	460 \times 450 \times 460 mm / 18.1 \times 18 \times 18.1 in
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
additional components	felt handle – 100% sheep wool









PETAL

MODULAR POUFS

PETAL

PETAL modular acoustic poufs enrich informal rest and relaxation areas. Arrange your own unique shape composition tailored to your space and gain excellent acoustic properties at the same time. The poufs are made of lightweight material so you can easily move them wherever you need them.





Technical sheet





basic dimensions (w \times h \times d)	1200 × 350 × 695 mm / 47.2 × 13.8 × 27.4 in
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
base	birch plywood with oak veneer







ABS \bigcirc J S S $Z \Box$



THE ONE NOISE-ABSORBING DESIGN PANEL

STILL SKY

CEILING PANELS


STILL SKY

The acoustically isolated ceiling reduces the overall noise level in the room, making it easier to concentrate and communicate with colleagues. STILL SKY ceiling panels are an effective acoustic element that effectively absorbs sound in work and leisure areas while serving as an original interior accessory.



Technical sheet

JAPE <td



basic dimensions (w \times h \times d) LEAF	550 × 550 × 35/65/95 mm / 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w × h × d) ROUNDED SQUARE	550 × 550 × 35/65/95 mm / 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w \times h \times d) SQUARE	550 × 550 × 35/65/95 mm / 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w × h × d) HEXAGON	550 × 635 × 35/65/95 mm / 21.7 × 24.8 × 1.2/2.4/3.5 in custom sizes available upon request
supporting frame	MDF (medium-density fibreboard)
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
installation	steel wire (up to 1.5m long)



FRESH COLORS AND GREAT ACOUSTICS

STIL


WALL PANELS

STILL

Acoustic wall panels not only improve the overall acoustics in a room, but also serve as a design element. You just need to choose the right shape and a suitable color variant. The advantage of STILL wall panels is that they are designed to absorb the frequencies created by the human voice, reducing background noise while brightening up your office walls.




Technical sheet



TECHNICAL DETAILS

basic dimensions (w x h x d) LEAF	550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w × h × d) ROUNDED SQUARE	550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w \times h \times d) SQUARE	550 × 550 × 35/65/95 mm 21.7 × 21.7 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w × h × d) HEXAGON	635 × 550 × 35/65/95 mm 21.7 × 24.8 × 1.2/2.4/3.5 in custom sizes available upon request
basic dimensions (w × h × d) TRIANGLE	$550 \times 550 \times 550 \times 35 \times 95 \times 95 \text{ mm}$ 21.7 × 21.7 × 21.7 × 1.2 × 3.5 × 3.5 in
supporting frame	MDF (medium-density fibreboard)
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
installation	wall-mounted/with contact adhesive





635 mm/24.8 in


GON


∽∽ 35/65/95 mm/

1.2/2.4/3.5 in











ESSENTIAL SUPPLEMENT LARGE OFFICES

DESKTOP DIVIDERS


MYSPACE


MYSPACE


The best way to separate individual workstations in an open space is to use a desktop acoustic divider. MYSPACE desktop dividers are made of top-quality acoustic foam specially developed for noise absorption. The divider's surface made of a solid, high-quality fabric also serves as a private notice board.




Technical sheet










basic dimensions	standard height 400 and 600 mm / 15.7 and 23.6 in standard width up to 1600 mm / 63 in custom sizes available upon request
material	central supporting plate lined with sound-absorbing material
finish	decorative fabric (refer to swatches)
feet	round coated steel/C-profile coated steel (colors according to swatches)



FREESTANDING DIVIDERS

SHADE TIMBER

SHADE TIMBER

Set up SHADE TIMBER dividers in the office to instantly create an acoustic barrier that absorbs unwanted sounds. This allows you to silence, for example, the conversation of colleagues over a cup of coffee or the noise of the printer. The dividers are very easily portable and you can position them to suit your needs and your office layout.




Technical sheet





basic dimensions	standard height 1200, 1500 and 1800 mm / 47.2, 59.1 and 70.9 in standard width up to 1500 mm / 59.1 in custom sizes available upon request
material	support plate covered on both sides with sound-absorbing material
finish	decorative fabric (refer to swatches)
feet	solid oak wood





ACOUSTIC SPACE DISTRIBUTION

FREESTANDING DIVIDERS

SHADE HEAVY

SHADE HEAVY

Can greater thickness be an advantage? In the case of the SHADE HEAVY divider, yes. The divider is thicker than standard types, making it easier to absorb unwanted sounds. Simply arrange the dividers around the office and the desired peace and quiet will prevail.



Technical sheet


96 mm / 3.8 in ⊣



TECHNICAL DETAILS

basic dimensions (w \times h)	800 × 1800 mm / 31.5 × 70.9 in 1200 × 1800 mm / 47.2 × 70.9 in
material	support plate covered on both sides with special sound-absorbing material
finish	decorative fabric (refer to swatches)
feet	solid oak wood
acoustic properties	αw* = 1,00 – class A – very high absorptive (weighted coefficient of sound absorption)

* measured in compliance with ISO 354, evaluated in conformity with ISO 11654



Enjoy She silince

ACOUSTIC DIVIDER WITH WRITABLE BULLETIN BOARD

MARKER BOARD

SHADE

MARK

SHADE MARK


The SHADE MARK serves two useful functions in the workplace. Like our other dividers, it absorbs noise and minimizes the inconvenience of an open space office. This version, however, also has a glass writing surface on one side, doubling as a whiteboard for notes, presentations, brainstorming sessions and other team meetings.



Technical sheet



basic dimensions	standard height 1820mm / 71.7 in including wheels 1700mm / 66.9 in only the divider 1350mm / 53.1 in whiteboard
	standard width 1040 mm / 40.9 in including wheels 1000 mm / 39.4 in only the divider
material	frame filled with sound-absorbing material, glass board, coated holder tray (RAL 9003)
finish	decorative fabric (refer to swatches)
feet	warnished plywood feet with grey wheels







116



DESIGN ELEMENT IMMERSIVE SOUND



MOSS


MOSS

Functional and beautiful. The MOSS acoustic object will enchant you at first sight. We have specially developed its material to absorb ambient noise, while at the same time it works well in a space as an unusual design element. We offer MOSS in three sizes and ten fashionable colors, which you can combine freely.




Technical sheet





300 mm / 11.8 in 910 mm / 15.9 in 910 mm / 11.8 in 910 mm



basic dimensions (w \times h \times d)	910 × 810 × 300 mm /
SMALL	31.9 × 35.8 × 11.8 in
basic dimensions (w \times h \times d)	910 × 1210 × 300 mm /
MEDIUM	35.8 × 47.6 × 11.8 in
basic dimensions (w × h × d)	795 × 1810 × 300 mm /
LARGE	31.3 × 71.3 × 11.8 in
filling	high-performance acoustic foam
finish	flock (color refer to swatches)
base	lacquered steel



SOUNDPROOFING IN AN UNUSUAL STYLE

HANGING ACOUSTIC OBJECT


MOSS HANG

MOSS HANG

An acoustic object that will enchant you with its aesthetics and maximum functionality. The material absorbs ambient sound and helps to enhance the office environment. MOSS HANG is variable and can be placed as a stand-alone hanging object, or in any configuration you choose.



Technical sheet



TECHNICAL DETAILS

basic dimensions (w × h × d)200 × 1000 × 145 mm /7.9 × 39.4 × 5.7 infillinghigh-performance acoustic foamfinishflock (color based on the color samples)





ACOUSTICS AS AESTHETICS




SILENT TREE


SILENT TREE


This innovative acoustic object from designer Jiří Pelcl represents a combination of modern design and functionality that perfectly meets the needs of modern work spaces. Its unique shape in the form of a tree has aesthetic value and also significantly reduces environmental noise, thereby improving working conditions for employees.



Technical sheet








TECHNICAL DETAILS

Atelier Pelcl design 1360 × 2560 × 1360 mm / 53.5 × 100.1 × 53.5 in basic dimensions $(w \times h \times d)$

acoustic material PET seegras – color emerald green fabric finish

coated steel – RAL 6015 black metal construction



STYLISH SOUNDPROOFING FOR ANY SPACE

HANGING DIVIDERS

MUTE

MUTE

The MUTE hanging divider function not only as an acoustic but also as a design element. They effectively reduce echoes and provide gentle soundproofing wherever necessary. The hanging dividers visually divide large areas into smaller spaces without making any structural changes.




Technical sheet






basic dimensions	standard height 500 and 1000 mm / 19.7 and 39.4 in standard width 400, 700 and 1000 mm / 15.7, 27.6 and 39.4 in standard dimensions 500 × 1000 × 30 mm / 19.7 × 39.4 × 1.2 in custom sizes available upon request
material	central supporting plate lined with sound-absorbing material
finish	decorative fabric (refer to swatches)
installation	steel wire (up to 1.5m long)









SHINE YOUR LIGHT FOR SILENCE

ACOUSTIC DIVIDERS WITH LIGHT

MUTE LLCHL

MUTE LIGHT


MUTE LIGHT acoustic dividers offer a unique option for soundproofing in necessary environments and simultaneously visually divide the space without any structural modifications. The dividers boast LED lighting that will brighten up your office or home.



Technical sheet



basic dimensions (w × h × d)	standard dimension 900 \times 250 \times 30 mm / 35.4 \times 9.8 \times 1.2 in custom sizes available upon request
material	central supporting plate cover with sound-absorbing material
finish	decorative fabric (refer to swatches)
installation	steel wire (up to 1.5m long)
lighting	LED, chromaticity temperature 4200 K





LIGHT UP EVERY INTERIOR

BLOOM


ACOUSTIC LIGHT

BLOOM


An acoustic light that gives the interior a new face and makes it shine. It is made of an unusual material – acoustic foam, which absorbs sound. Available in a choice of ten fashionable tones.




Technical sheet



design	Studio Olgoj Chorchoj
basic dimensions (w × h) ASSEMBLY 1 ASSEMBLY 2 ASSEMBLY 3 ASSEMBLY 4	470 × 240 mm / 18.5 × 9.4 in 700 × 380 mm / 27.5 × 14.9 in 700 × 380 mm / 27.5 × 14.9 in 700 × 500 mm / 27.5 × 19.7 in
material	high-performance acoustic foam
surface finish	flock (color according to swatch)
light source	15 W/30 W
lighting temperature	daylight white
chromaticity temperature	4200 К
suspension system	steel cable with canopy at the ceiling
type of anchoring	canopy anchored to the ceiling structure
certification	CE









PLEASANT ATMOSPHERE AND OPTIMAL ACOUSTIC CONDITIONS

DROP

AMBIENT ACOUSTIC LIGHT

DROP

DROP ambient lighting provides atmosphere while improving the acoustic conditions in the space. Today's interiors increasingly place the emphasis on productivity, which is influenced by a number of factors including the amount of light and noise. This elegant lighting with sound absorption fits functionally into office relaxation zones or even at home.



Technical sheet




design	Studio Olgoj Chorchoj
basic dimensions (w \times h \times d)	$270\times475\times270$ mm / 10.6 \times 18.7 \times 10.6 in
finish	see fabric samples AMBIENT and PULSE
supply voltage	230 V, 60 Hz
light source power	5 W
chromaticity temperature	4200 К
suspension system	textile cable with canopy at the ceiling
type of anchoring	canopy anchored to the ceiling structure
certification	CE

certification
















MATERIAL LINES

Have you chosen the best acoustic solution for your office? Now you can choose from a range of colors in one of our three material lines.

SOFT


The basic SOFT series is the most affordable version of our products. It combines functionality and simplicity of materials, BOMBAY fabrics look professional and warm at the same time. They are also water-repellent and stain-resistant.

AMBIENT

The AMBIENT mid range presents two attractive options. ASPECT textiles with a soft, touchable pattern that is made of Trevira CS flame retardant fiber. The second option is WOOLLAND, a durable fabric made of natural wool fibers treated to be flame retardant and water repellent.

PULSE

The top of the range PULSE puts the emphasis on superior texture and an excellent tactile experience thanks to its natural materials.



BOMBAY


SOFT



BO15

BO24

BO26





BO34



BO79

BO39



BO37

BO89

TECHNICAL DETAILS

composition	100% polyester
weight	350 g/m ²
width	140 cm
abrasion resistance	> 100 000 martindale



WOOLLAND

AMBIENT

ASPECT



W76









W64

W34

W16

W25

W08

W18

W19



W03



W06

W97



W17



ACT24 ACT23

ACT10

TECHNICAL DETAILS

composition	70% recycled sheep wool, 30% polyamide
weight	400 g/m ²
width	150 cm
abrasion resistance	> 100 000 martindale

TECHNICAL DETAILS

composition	75% Trevira CS, 25% polyester
weight	325 g/m ²
width	140 cm
abrasion resistance	> 50 000 martindale

AMBIENT







ACT03



SYNERGY

PULSE

BLAZER



SY17



SY34





SY56



SY16

SY22



SY36


SY66

SY46



SY87





SY07



BL1R



BL86

BL2Q

BL1W

BL90



BL62



BL82

TECHNICAL DETAILS

composition weight	95% virgin sheep's wool, 5% polyamide 400 $g/m^{\rm 2}$
width	140 cm
abrasion resistance	> 100 000 martindale

TECHNICAL DETAILS

composition	100% virgin sheep's wool
weight	460 g/m ²
width	140 cm
abrasion resistance	> 50 000 martindale

PULSE





BL3B




BL1F



FINISH

SPARK




RAL 7004

(grey)

MOSS / MOSS HANG / BLOOM



MYSPACE / FEET



MICROOFFICE / FRAMES



OAK

RAL 9004 (black)



160



CONTACT INFORMATION

+420 733 739 065 info@silent-lab.com www.silent-lab.com

COMPANY ADDRESS

SilentLab s.r.o. Za Zastávkou 373 111 01 Prague 10 – Czech Republic

The final product configuration may differ from the versions shown in the photographs.

All MICROOFFICE[®] and SPARK products are patented. SilentLab[®], MICROOFFICE[®] and its logo are registered trademarks of SilentLab s.r.o.

All intellectual property rights ("Rights"), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. ("Content") are the property of SilentLab s.r.o. ("Owner") and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted.

Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.

FEEL WELL WORK WELL