



CHAT⁴ is designed for team meetings and brainstorming sessions, where privacy and comfort are essential. In this acoustic pod for four, you will appreciate our exceptional ventilation system, ensuring a constant supply of fresh air even during extended discussions.

Technical details

exterior dimensions (w × h × d) $2259 \times 2270 \times 1490 \text{ mm}/88.9 \times 89.4 \times 58.7 \text{ in}$

interior dimensions (w \times h \times d) 2028 \times 2097 \times 1405 mm/79.8 \times 82.6 \times 55.3 in

weight 850 kg / 1873.9 lb

door dimensions 898 × 2135 mm / 35.4 × 84.1 in door opening 908 × 2145 mm / 35.7 × 84.8 in

door opening clear dimensions

door opens left / right (choice available during installation)

glass doors sound-insulating glass
glass walls sound-insulating glass

solid walls sandwich panel with acoustic filling

ceiling sandwich panel with acoustic filling,

the roof is not upholstered

flooring sandwich panel with acoustic filling,

carpet (anthracite grey/steel grey)

glass wall frame and door handle wooden (natural/black)

sound attenuation speech level reduction Ds,a (class A+)*1

ventilation standard air flow: 456 m³/h

maximum air flow: 716 m³/h

lighting

Dual Light - natural and ambient light

natural light

procognitive full-spectrum LED lighting with
a color temperature of 4800K, >95 CRI

ambient light LED lighting with adjustable color temperature

(3000K-6000K, <90 CRI) and light intensity

energy consumption in operation: 61,2 W

in standby: 17,5 W

power 220-240 V, 50/60 Hz, 10 A

standard equipment electrical socket (4×), motion sensor, Dual Light,

ventilation, 7" LCD control panel

optional equipment refer to the pricelist


color options decorative fabric (refer to swatches)*2

environmental product profile This product has an Environmental Product Declaration

(EPD⁺³) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.

implementing standards ISO 14040, ISO 14044, and EN 1580





All intellectual property rights ("Rights"), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. ("Content") are the property of SilentLab s.r.o. ("Owner") and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted. Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.

The final product configuration may differ from the versions shown in the photographs.

SilentLab*, MICROOFFICE* and their logos are registered trademarks of SilentLab*, MICROOFFICE products are patent pending

¹ ISO 23351:1:2020 - Acoustics — Measurement of speech level reduction of furniture ensembles and enclosures — Part 1: Laboratory method.

Product specifications apply when using standard materials. To ensure optimal performance, the product is designed to work with carefully selected and tested materials. Using materials not specified in the SilentLab material selection may affect acoustic properties and functionality.

The EPD provides summary information on the potential environmental impacts of the product throughout its entire life cycle.