CATALOGUE



sılentlab

CATALOGUE 2025

TABLE OF CONTENTS

ABOUT US	7
KEY ADVANTAGES	11
DESIGNERS	13
GEN4	17
SPOT	19
FOCUS	23
CHAT	27
SUMMIT	33
SPARK	41
SPARK	43
SPARK ²	45
SPARK ⁴	47
ADDITIONAL EQUIPMENT	51
AV CONNECTION SET	53
FURNITURE	55
SEATING	59
MYSPOT BOND	61
MOVE	63
SOUND ABSORPTION	65
STILL SKY	67
STILL	69
MYSPACE	71
SHADE TIMBER	73
SHADE HEAVY	75
SHADE MARK	77
MUTE	79
LIGHTING	81
DROP	83
SOUNDMASKING	85
MATERIAL LINES	91

When all you want is a quiet place to work





ABOUT US

Our journey began in 2014 with a vision to transform the working environment of modern offices. With a small team, fueled by determination and a belief in acoustics, we set out to create something exceptional. We were among the few in Europe who understood that the right acoustics can profoundly impact productivity and well-being at work.


The beginning was not easy. We remember countless hours spent on designs and prototypes as we worked to create a soundproof pod that truly performs. Every success and setback brought us closer to our goal. When we first showcased our prototypes at Orgatec 2016, we had no idea what lay ahead. Although our initial product was far from perfect, our dedication, passion, and a bit of luck showed us the way forward.

Just weeks after Orgatec, we won a major contract in Paris, which opened doors for us and allowed for rapid growth. Since then, we have become one of the leading manufacturers of acoustic products in Europe.

Today, after years of hard work and investment, with over a hundred talented individuals on our team, we proudly present our new line that is unmatched on the global market. Every product we create embodies our passion and belief in what we do. SilentLab is not just a company; it's a story of commitment, innovation, and a desire to create a calm and productive working environment for everyone.







KEY ADVANTAGES

LIGHT

Natural light that supports focus and visual comfort. Patented LED technology with a 98% CRI faithfully mimics daylight, reduces eye strain, supports your biorhythm, and helps maintain productivity throughout the day.

SILENCE

Silence that creates space for focus. High-quality materials, quiet ventilation, and precise soundproofing provide ideal acoustic conditions for work, phone calls, and video meetings.

DESIGN

Aesthetic with purpose. Minimalist lines, premium materials, and an ergonomically designed interior create a space that feels light, comfortable, and timeless. An exceptional design recognized with the Red Dot Award: Product Design 2025.

AIR

Fresh air without distracting noise. The quiet ventilation system ensures rapid air exchange and a pleasant climate, even during long working hours. Airflow intensity can be easily adjusted via a digital display.

OFFICE LANDSCAPING

Flexibility that adapts to the way your team works. Modular acoustic elements like GEN4 pods create zones for focus, collaboration, and relaxation. Each component maximizes office functionality and allows for sustainable space adaptation without the need for construction.



reddot winner 2025



DESIGNERS of acoustic pods

VOJTĚCH KAAS & JAN KALIVODA

PROGRES ARCHITEKTI

The architectural studio PROGRES architekti specializes in working with space, matter, light, and materials. Their approach, focused on innovation and pushing the boundaries of technical possibilities, has earned them numerous international awards.

They pay exceptional attention to the quality of indoor environments, where ergonomics, lighting, and acoustics play a crucial role. These experiences were fully utilized in the development of SPARK and the new GEN4 line, where they introduced a modular solution designed to meet various human needs and become a key element of the workplace environment.





DESIGNERS of acoustic lights

JAN NĚMEČEK **& MICHAL FRONĚK**

STUDIO OLGOJ CHORCHOJ

Studio Olgoj Chorchoj specializes in a wide range of design fields, from furniture and glass to architectural projects. Their work is known for technological precision and collaboration with renowned glassmakers. Their creations have been exhibited in prestigious venues worldwide.

In collaboration with SilentLab, Studio Olgoj Chorchoj designed the acoustic light DROP. This light combines aesthetics with functional acoustics, where materials effectively absorb sound, and the design offers flexibility in shape and color variations. The simple yet sophisticated forms easily adapt to various interiors.



15





SPOT

A pod for quick calls and concentration





SPOT


SPOT is a premium acoustic pod designed for quick calls and peak productivity. Tailored for individual use, it seamlessly merges functionality with aesthetics, creating a tranquil environment for focused work.




Technical sheet



exterior dimensions (w \times h \times d)	1150 × 2270 × 1030 mm / 45.3 × 89.4 × 40.6 in
interior dimensions (w × h × d)	920 × 2097 × 945 mm / 36.2 × 82.6 × 37.2 in
weight	350 kg / 771.6 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 141 m³/h maximum air flow: 179 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (1×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.











FOCUS

Private soundproof pod for undisturbed work






FOCUS

FOCUS is your specialized pod for ultimate concentration and productivity. Designed to replace a single workstation, it transforms your space into a private, soundproof zone ideal for intense, long-term undisturbed work.




Technical sheet

exterior dimensions (w × h × d)	1910 × 2270 × 1490 mm / 75.2 × 89.4 × 58.7 in
interior dimensions (w × h × d)	1680 × 2097 × 1405 mm / 66.1 × 82.6 × 55.3 in
weight	615 kg / 1355.8 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 228 m³/h maximum air flow: 358 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (2x), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.











CHAT

Soundproof pod for private conversations and productive meetings





CHAT²


CHAT² is the perfect solution for private conversations and quick meetings without distractions. This acoustic pod for two delivers exceptional sound isolation, ensuring confidential communication and enhanced comfort in any environment.




Technical sheet







exterior dimensions (w \times h \times d)	2259 × 2270 × 1030 mm / 88.9 × 89.4 × 40.6 in
interior dimensions (w \times h \times d)	2028 × 2097 × 945 mm / 79.8 × 82.6 × 37.2 in
weight	645 kg / 1422 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 228 m³/h maximum air flow: 358 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K-6000K, <90 CRI) and light intensity
standard equipment	electrical socket (2×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



CHAT⁴


CHAT⁴ is designed for team meetings and brainstorming sessions where privacy and comfort are essential. In this acoustic pod for four, you will appreciate our exceptional ventilation system, ensuring a constant supply of fresh air even during extended discussions.




Technical sheet



exterior dimensions (w × h × d)	2259 × 2270 × 1490 mm / 88.9 × 89.4 × 58.7 in
interior dimensions (w × h × d)	2028 × 2097 × 1405 mm / 79.8 × 82.6 × 55.3 in
weight	850 kg / 1873.9 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 456 m³/h maximum air flow: 716 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (4×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.









SUMMIT

Adaptable meeting space for various groups of people

GEN4 SPARK


SUMMIT⁴


SUMMIT⁴ is your versatile space for small group meetings. Designed to accommodate up to four people, it provides a compact, soundproof environment where privacy and clear communication are top priorities, thanks to cutting-edge acoustic technology.




Technical sheet

exterior dimensions (w \times h \times d)	2675 × 2270 × 2060 mm /105.3 × 89.4 × 81.1 in	
interior dimensions (w × h × d)	2444 × 2097 × 1975 mm / 96.2 × 82.6 × 77.8 in	
weight	900 kg / 1984.1 lb	
door opens	left / right (choice available during installation)	
glass walls	sound-insulating glass	
solid walls	sandwich panel with acoustic filling	
glass wall frame and door handle	wooden (natural/black)	
ceiling	sandwich panel with acoustic filling, the roof is not upholstered	
flooring	carpet (anthracite grey/steel grey)	
ventilation	standard air flow: 592 m³/h maximum air flow: 912 m³/h	
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI	4 in
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity	2270 mm / 89.4 in
standard equipment	electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel	2270
optional equipment	refer to the pricelist	
color options	decorative fabric (refer to swatches)	
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.	












SUMMIT⁶


SUMMIT⁶ is your high-performance solution for mid-sized meetings. Perfect for groups of up to six, it provides a spacious, soundproof environment equipped with advanced acoustic features, ensuring privacy and seamless discussions in a comfortable setting.



Technical sheet

exterior dimensions (w × h × d)	2675 × 2270 × 3090 mm / 105.3 × 89.4 × 121.7 in
interior dimensions (w × h × d)	2444 × 2097 × 3005 mm / 96.2 × 82.6 × 118.3 in
weight	1100 kg / 2425.1 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 888 m³/h maximum air flow: 1368 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.









SUMMIT⁸


SUMMIT⁸ is your largest meeting hub. Designed for up to eight people, it provides a spacious, soundproof environment equipped with cutting-edge acoustic technology that guarantees both privacy and seamless communication for productive group sessions.




Technical sheet



exterior dimensions (w \times h \times d)	2675 × 2270 × 4120 mm / 105.3 × 89.4 × 162.2 in
interior dimensions (w × h × d)	2444 × 2097 × 4035 mm / 96.2 × 82.6 × 158.9 in
weight	1200 kg / 2645.5 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 1184 m³/h maximum air flow: 1824 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K-6000K, <90 CRI) .⊆ and light intensity 88
standard equipment	temperature (3000K-6000K, <90 CRI) and light intensity electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.











SPARK


Add sparkle to your working environment.


SPARK is our first acoustic meeting room with increased mechanical resistance while retaining its maximum functionality and elegant curves. It can cope with even the most demanding conditions and is easy to maintain. It is therefore perfectly suited to production halls or public areas.



Technical sheet

exterior dimensions (w × h × d)	1110 × 2226 × 930 mm / 43.7 × 87.6 × 36.6 in
interior dimensions (w \times h \times d)	850 × 2057 × 864 mm / 33.4 × 80.9 × 34 in
weight	350 kg / 771 lb
door opens	left
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	beech (black varnish)
ceiling	sandwich panel with acoustic filling
flooring	carpet (anthracite grey)
ventilation	standard air flow: 120 m³/h maximum air flow: 341 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (1×), ventilation, motion sensor, desk, LED lighting, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
material lines – interior	decorative fabric Bombay 36
color options cladding – exterior	hyphenate steel – fine texture
certification	
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.









SPARK²

SPARK² is the ideal place for for one-on-one meetings when you don't want to be disturbed by anyone. This innovative acoustic room with an interesting design ensures maximum attenuation of ambient sounds and better working conditions in any noisy area. Its easy-to-maintain durable surface makes it an excellent choice for offices, production halls, and even the healthcare sector with a special interior treatment.





Technical sheet


TECHNICAL DETAILS

exterior dimensions (w × h × d)	2220 × 2226 × 930 mm / 87.4 × 87.6 × 36.6 in
	2220 * 2220 * 330 111117 87.4 * 87.6 * 36.6 11
interior dimensions (w × h × d)	1968 × 2057 × 864 mm / 77.5 × 80.9 × 34 in
weight	695 kg / 1532 lb
door opens	left
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	beech (black varnish)
ceiling	sandwich panel with acoustic filling
flooring	carpet (anthracite grey)
ventilation	standard air flow: 250 m³/h maximum air flow: 341 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (2×), ventilation, motion sensor, LED lighting, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
material lines – interior	decorative fabric Bombay 36
color options cladding – exterior	hyphenate steel – fine texture
certification	

This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.










environmental product profile

SPARK⁴


Discover the SPARK⁴, which will catch your attention with its distinctive look, powder-coated steel exterior available in eight colors, and a wide range of technological innovations. The quiet office is designed for two to four people for private meetings even in challenging conditions.



Technical sheet



exterior dimensions (w × h × d)	2220 × 2226 × 1850 mm / 87.4 × 87.6 × 72.8 in
interior dimensions (w × h × d)	1968 × 2057 × 1770 mm / 77.5 × 81 × 67 in
weight	1150 kg / 2535 lb
door opens	left
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	beech (black varnish)
ceiling	sandwich panel with acoustic filling
flooring	carpet (anthracite grey)
ventilation	standard air flow: 400 m³/h maximum air flow: 626 m³/h
lighting	LED, chromaticity temperature 4200 K
standard equipment	electric socket (3×), ventilation, motion sensor, LED lighting, control panel for lighting and air ventilation
optional equipment	refer to the pricelist
material lines – interior	decorative fabric Bombay 36
color options cladding – exterior	hyphenate steel – fine texture
certification	
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.













ADDITIONAL EQUIPMENT

Do you have high standards? We have a whole range of accessories for the discerning customer. You can choose from a variety of furniture and premium technologies that will elevate the quality of your working environment.

AV CONNECTION SET



Technical sheet

The AV connection set is seamlessly integrated during production. Combined with excellent soundproofing, modern features, and superior audio and video quality, it creates the perfect environment for professional meetings.

The FOCUS acoustic pod is equipped with an ergonomic arm integrated into the table, designed to hold a monitor.

The AV connection set in the SUMMIT⁴, SUMMIT⁶, and SUMMIT⁸ acoustic pods includes a VESA mount for attaching a TV to the rear glass wall and a pair of sockets for power connection.






FURNITURE GEN4



Technical sheet




CHAT²




CHAT^₄

SUMMIT⁶



(CAP


SUMMIT⁴





SUMMIT⁸



ACCESSORIES









* Detailed information on individual products is available in the technical data sheets. All furniture dimensions are given in millimeters. Illustration of a possible configuration.

TABLE SUMMIT⁶




FURNITURE SPARK


SPARK



SPARK²







SPARK⁴

* Detailed information on individual products is available in the technical data sheets. All furniture dimensions are given in millimeters. Illustration of a possible configuration.








MYSPOT BOND


Get comfortable in the MYSPOT BOND acoustic armchair. The wide side walls provide plenty of privacy for uninterrupted phone calls or a moment of reflection. You can combine the chairs freely to create the set-up you want.





Technical sheet










dimensions (w × h × d)	860 × 1290 × 1000 mm/33.9 × 50.8 × 39.4 in
chair frame	oak, lacquered steel
back rest + pillow	upholstered acoustic PET material
finish	decorative fabric (refer to swatches)


MOVE


Brighten your office and reduce noise with MOVE acoustic poufs. Lightweight and easily repositioned, these poufs offer high sound absorption and flexible arrangement options.



Technical sheet









62

basic dimensions (w × h × d) $$460\times450\times460\ mm$ / 18.1 \times 18 \times 18.1 in SQUARE

basic dimensions ROUND	diameter 460 mm/ 18.1 in height 450 mm/18 in
basic dimensions (w × h × d) DROP	460 × 450 × 460 mm / 18.1 × 18 × 18.1 in
filli∩g	high-performance acoustic foam
fi∩ish	decorative fabric (refer to swatches)
additional components	felt handle – 100% sheep wool





STILL SKY


An acoustically isolated ceiling reduces the overall noise level in the room, making it easier to concentrate and communicate with colleagues. STILL SKY ceiling panels are an effective acoustic element that absorbs sound in work and leisure areas while serving as an original interior accessory.





Technical sheet











TECHNICAL DETAILS

basic dimensions (w × h × d) LEAF	550 × 550 × 35/65 mm / 21.7 × 21.7 × 1.2/2.4 in custom sizes available upon request
basic dimensions (w × h × d) ROUNDED SQUARE	550 × 550 × 35/65 mm / 21.7 × 21.7 × 1.2/2.4 in custom sizes available upon request
basic dimensions (w × h × d) SQUARE	550 × 550 × 35/65 mm / 21.7 × 21.7 × 1.2/2.4 in custom sizes available upon request
supporting frame	MDF (medium-density fibreboard)
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
installation	steel wire (up to 1.5m long)

SEATING SOUND ABSORBERS LIGHTING SOUNDMASKING



Acoustic wall panels not only improve the overall acoustics in a room, but also serve as a design element. You just need to choose the right shape and a suitable color variant. The advantage of STILL wall panels is that they are designed to absorb the frequencies created by the human voice, reducing background noise while brightening up your office walls.




Technical sheet


TECHNICAL DETAILS

basic dimensions (w × h × d) LEAF	550 × 550 × 35/65 mm 21.7 × 21.7 × 12/24 in custom sizes available upon request
basic dimensions (w × h × d) ROUNDED SQUARE	550 × 550 × 35/65 mm 21.7 × 21.7 × 12/24 in custom sizes available upon request
basic dimensions (w × h × d) SQUARE	550 × 550 × 35/65 mm 21.7 × 21.7 × 12/2.4 in custom sizes available upon request
supporting frame	MDF (medium-density fibreboard)
filling	high-performance acoustic foam
finish	decorative fabric (refer to swatches)
installation	wall-mounted/with contact adhesive

ROUNDED SQUARE

1.2/2.4 i∩










SEATING SOUND ABSORBERS LIGHTING SOUNDMASKING


MYSPACE

The best way to separate individual workstations in an open space is to use a desktop acoustic divider. MYSPACE desktop dividers are made of top-quality acoustic foam specially developed for noise absorption. The divider's surface made of a solid, high-quality fabric also serves as a private notice board.



Technical sheet





TECHNICAL DETAILS


basic dimensions	standard height 400 and 600 mm / 15.7 and 23.6 in standard width up to 1600 mm / 63 in custom sizes available upon request
material	central supporting plate lined with sound-absorbing material
finish	decorative fabric (refer to swatches)
feet	round coated steel/C-profile coated steel (colors according to swatches)

SHADE TIMBER

Set up SHADE TIMBER dividers in the office to instantly create an acoustic barrier that absorbs unwanted sounds. This allows you to dampen, for example, the conversation of colleagues over a cup of coffee or the noise of the printer. The dividers are very easily portable and you can position them to suit your needs and your office layout.



Technical sheet







TECHNICAL DETAILS


basic dimensions	standard height 1200 and 1500 mm/ 47.2 and 59.1 i standard width up to 1200 mm / 47.2 in custom sizes available upon request
material	support plate covered on both sides with sound-absorbing material
fi∩ish	decorative fabric (refer to swatches)
feet	solid oak wood

SHADE HEAVY

Can greater thickness be an advantage? In the case of the SHADE HEAVY divider, yes. The divider is thicker than standard types, making it easier to absorb unwanted sounds. Simply arrange the dividers around the office and the desired peace and quiet will prevail.



Technical sheet



1800 mm / 70.9 in

800 mm / 315 in



TECHNICAL DETAILS

74

basic dimensions (w × h)	800 × 1800 mm / 31.5 × 70.9 in 1200 × 1800 mm / 47.2 × 70.9 in
material	support plate covered on both sides with special sound-absorbing material
finish	decorative fabric (refer to swatches)
feet	solid oak wood
acoustic properties	aw* = 1,00 – class A – very high absorptive (weighted coefficient of sound absorption)

* measured in compliance with ISO 354, evaluated in conformity with ISO 11654

SHADE MARK

The SHADE MARK serves two useful functions in the workplace. Like our other dividers, it absorbs noise and minimizes the inconvenience of an open space office. This version, however, also has a glass writing surface on one side, doubling as a whiteboard for notes, presentations, brainstorming sessions and other team meetings.




Technical sheet





TECHNICAL DETAILS

basic dimensions	standard height 1820mm/71.7 in including wheels 1700mm/66.9 in only the divider 1350mm/53.1 in whiteboard
	standard width 1040 mm/40.9 in including wheels 1000 mm/39.4 in only the divider
material	frame filled with sound-absorbing material, glass board, coated holder tray (RAL 9003)
finish	decorative fabric (refer to swatches)
feet	varnished plywood feet with grey wheels







The MUTE hanging dividers function not only as an acoustic but also as a design element. They effectively reduce echoes and provide gentle soundproofing wherever necessary. The hanging dividers visually divide large areas into smaller spaces without making any structural changes.



Technical sheet





TECHNICAL DETAILS

basic dimensions	standard height 500 and 1000 mm / 19.7 and 39.4 in standard width 400, 700 and 1000 mm / 15.7, 27.6 and 39.4 in standard dimensions 500 × 1000 × 30 mm / 19.7 × 39.4 × 1.2 ir custom sizes available upon request
material	central supporting plate lined with sound-absorbing material
finish	decorative fabric (refer to swatches)
installation	steel wire (up to 1.5m long)




DROP

DROP ambient lighting provides atmosphere while improving the acoustic conditions in the space. Today's interiors increasingly place the emphasis on productivity, which is influenced by a number of factors including the amount of light and noise. This elegant lighting with sound absorption fits functionally into office relaxation zones or even at home.




Technical sheet



TECHNICAL DETAILS

de etco	
design	Studio Olgoj Chorchoj
basic dimensions (w × h × d)	270 × 475 × 270 mm / 10.6 × 18.7 × 10.6 in
finish	decorative fabric (refer to swatches)
supply voltage	230 V, 60 Hz
light source power	5 W
chromaticity temperature	4200 K
suspension system	textile cable with canopy at the ceiling
type of anchoring	canopy anchored to the ceiling structure
certification	CE





2



SOUNDMASKING

Technical sheet


Having trouble concentrating due to background noise and a lack of privacy? We've created a solution just for you. Soundmasking is an innovative acoustic system that reduces stress in the workplace while boosting overall productivity. Installing Soundmasking is easy, requiring no alterations to your space, while its low operating costs help conserve corporate budgets.

BASIC COMPONENTS



SOUNDMASK GQ

SPEAKER TYPES



TECHNICAL DETAILS

basic dimensions (w × h × d) SOUNDMASK GQ	483 x 200 x 44 mm / 19 × 7.9 × 1.7 in (without antenna)
basic dimensions (w × h) SUSPENSION SPEAKER I	180 x 115 mm / 7.1 x 4.5 in
basic dimensions (w × h) CUT IN SPEAKER	240 x 150 mm / 9.4 x 5.9 in
basic component	random noise generator
color	white/black











MATERIAL LINES

Our acoustic products combine aesthetics, functionality, and comfort thanks to carefully selected materials. The upholstery ensures excellent acoustics. We offer the elegant Fabric 1, which is easy to maintain, and Fabric 2, made of natural wool with a warm texture. The SPARK acoustic rooms feature a durable steel shell with a powder-coated finish for long-lasting performance.

FABRIC 1

FABRIC 2

GEN4, UPHOLSTERED ACOUSTIC PRODUCTS



BO04


B074







W34



W18

TECHNICAL DETAILS

composition	100% polyester
weight	350 g/m²
width	140 cm
abrasion resistance	> 100 000 martindale

TECHNICAL DETAILS

composition	70% recycled sheep wool, 30% polyamide
weight	400 g/m²
width	150 cm
abrasion resistance	> 100 000 martindale

GEN4, UPHOLSTERED ACOUSTIC PRODUCTS



W36



W94



W109



W25



GEN4



White grey

Chocolate Brown

Yellow

POWDER COATED STEEL

Grey

SPARK





OTHER MATERIALS GEN4

FRAME AND DOOR HANDLE



Oak (black)

TABLE



Oak

Feet (black metal)

HEIGHT ADJUSTABLE STOOL



Fabric

Feet (black metal)


CARPET



Premium carpet (anthracite grey) Essential carpet

(steel grey)

SEATING



Feet (black metal)

SPARK

UPHOLSTERY (INTERIOR)



BO36

TABLE



Oak

Feet (black metal)

HEIGHT ADJUSTABLE STOOL





Feet (black metal)

FRAME AND DOOR HANDLE



Beech (black)


CARPET



Essential carpet (steel grey)

OTHER MATERIALS ACOUSTIC PRODUCTS

FEET - MYSPACE



FEET - SHADE MARK



RAL 9003 (white)

RAL 9004 (black)

Plywood

FEET - MYSPOT BOND, SHADE TIMBER, SHADE HEAVY



Oak

98





CONTACT INFORMATION

+420 733 739 065 info@silent-lab.com www.silent-lab.com

COMPANY ADDRESS

SilentLab s.r.o. Za Zastávkou 373 111 01 Prague 10 – Czech Republic

PRODUCTION FACILITY

SilentLab s.r.o. Řípská 1181/18a 627 00 Brno-Slatina – Czech Republic

The final product configuration may differ from the versions shown in the photographs.

SilentLab® is a registered trademark.



All intellectual property rights ("Rights"), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. ("Content") are the property of SilentLab s.r.o. ("Owner") and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted.

Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.

version 2025.3

feel well work well