

INTRODUCTION PACK

ENG



GEN4

silentlab

The calm where **new ideas are born**

GEN4 is more than just innovation. It's a carefully designed evolution of the workspace. Acoustic pods that adapt to people — their needs, rhythms, focus, and comfort. And they offer more than just silence.

With top-tier A+ acoustics, the most efficient ventilation in its class, patented lighting inspired by natural sunlight, and smart technologies that respond to your mood and current needs, every detail is refined for deep focus, performance, and mental well-being.

Recognized with the prestigious Red Dot Design Award 2025, GEN4 reimagines the acoustic pod to suit both function and aesthetics, fitting naturally into any modern interior.

Thanks to the modular office landscaping system, you can easily create flexible and functional zones without any structural changes — quickly, efficiently, and with sustainability in mind. It's designed with the future in mind. It grows with you. And it transforms any space into a place where work has meaning and you feel good.



Key advantages

Light

Natural light that supports focus and visual comfort. Patented LED technology with a 98% CRI faithfully mimics daylight, reduces eye strain, supports your biorhythm, and helps maintain productivity throughout the day.

Silence

Silence that creates space for focus. High-quality materials, quiet ventilation, and precise soundproofing provide ideal acoustic conditions for work, phone calls, and video meetings.

Design

Aesthetic with purpose. Minimalist lines, premium materials, and an ergonomically designed interior create a space that feels light, comfortable, and timeless. An exceptional design recognized with the Red Dot Award: Product Design 2025.

Air



Fresh air without distracting noise. The quiet ventilation system ensures rapid air exchange and a pleasant climate, even during long working hours. Air-flow intensity can be easily adjusted via a digital display.

Office landscaping

Flexibility that adapts to the way your team works. Modular acoustic elements like GEN4 pods create zones for focus, collaboration, and relaxation. Each component maximizes office functionality and allows for sustainable space adaptation without the need for construction.



red*dot* winner 2025




SPOT

A pod for quick calls
and concentration

n1

TECHNICAL DETAILS

exterior dimensions (w × h × d)	1150 × 2270 × 1030 mm / 45.3 × 89.4 × 40.6 in
interior dimensions (w × h × d)	920 × 2097 × 945 mm / 36.2 × 82.6 × 37.2 in
weight	350 kg / 771.6 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 141 m³/h maximum air flow: 179 m³/h
lighting natural light	Dual Light – natural and ambient light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (1×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.




FOCUS

Private soundproof pod
for undisturbed work

n₁

TECHNICAL DETAILS

exterior dimensions (w × h × d)	1910 × 2270 × 1490 mm / 75.2 × 89.4 × 58.7 in
interior dimensions (w × h × d)	1680 × 2097 × 1405 mm / 66.1 × 82.6 × 55.3 in
weight	615 kg / 1355.8 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 228 m ³ /h maximum air flow: 358 m ³ /h
lighting	Dual Light – natural and ambient light
natural light	procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (2×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



CHAT²

Soundproof pod for private conversations and effective meetings

n²

TECHNICAL DETAILS

exterior dimensions (w × h × d) 2259 × 2270 × 1030 mm / 88.9 × 89.4 × 40.6 in

interior dimensions (w × h × d) 2028 × 2097 × 945 mm / 79.8 × 82.6 × 37.2 in

weight 645 kg / 1422 lb

door opens left / right (choice available during installation)

glass walls sound-insulating glass

solid walls sandwich panel with acoustic filling

glass wall frame and door handle wooden (natural/black)

ceiling sandwich panel with acoustic filling, the roof is not upholstered

flooring carpet (anthracite grey/steel grey)

ventilation standard air flow: 228 m³/h
maximum air flow: 358 m³/h

lighting Dual Light – natural and ambient light
natural light procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI



ambient light LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity

standard equipment electrical socket (2×), motion sensor, Dual Light, ventilation, 7" LCD control panel

optional equipment refer to the pricelist

color options decorative fabric (refer to swatches)

environmental product profile This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



CHAT⁴

Perfect place for efficient collaboration and discreet meetings

n4

TECHNICAL DETAILS

exterior dimensions (w × h × d) 2259 × 2270 × 1490 mm / 88.9 × 89.4 × 58.7 in

interior dimensions (w × h × d) 2028 × 2097 × 1405 mm / 79.8 × 82.6 × 55.3 in

weight 850 kg / 1873.9 lb

door opens left / right (choice available during installation)

glass walls sound-insulating glass

solid walls sandwich panel with acoustic filling

glass wall frame and door handle wooden (natural/black)

ceiling sandwich panel with acoustic filling, the roof is not upholstered

flooring carpet (anthracite grey/steel grey)

ventilation standard air flow: 456 m³/h
maximum air flow: 716 m³/h

lighting Dual Light – natural and ambient light
procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI


ambient light LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity

standard equipment electrical socket (4×), motion sensor, Dual Light, ventilation, 7" LCD control panel

optional equipment refer to the pricelist

color options decorative fabric (refer to swatches)

environmental product profile This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.





SUMMIT⁴

Adaptable, meeting space
for various groups of people

n⁴

TECHNICAL DETAILS


exterior dimensions (w × h × d)	2675 × 2270 × 2060 mm / 105.3 × 89.4 × 81.1 in
interior dimensions (w × h × d)	2444 × 2097 × 1975 mm / 96.2 × 82.6 × 77.8 in
weight	900 kg / 1984.1 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 592 m ³ /h maximum air flow: 912 m ³ /h
lighting	Dual Light – natural and ambient light
natural light	procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



SUMMIT⁶

Discreet pod for mid-sized meetings with premium acoustics

n6



TECHNICAL DETAILS


exterior dimensions (w × h × d)	2675 × 2270 × 3090 mm / 105.3 × 89.4 × 121.7 in
interior dimensions (w × h × d)	2444 × 2097 × 3005 mm / 96.2 × 82.6 × 118.3 in
weight	1100 kg / 2425.1 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 888 m ³ /h maximum air flow: 1368 m ³ /h
lighting	Dual Light – natural and ambient light
natural light	procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



SUMMIT⁸

Spacious hub for effective communication and team meetings

n8



TECHNICAL DETAILS

exterior dimensions (w × h × d)	2675 × 2270 × 4120 mm / 105.3 × 89.4 × 162.2 in
interior dimensions (w × h × d)	2444 × 2097 × 4035 mm / 96.2 × 82.6 × 158.9 in
weight	1200 kg / 2645.5 lb
door opens	left / right (choice available during installation)
glass walls	sound-insulating glass
solid walls	sandwich panel with acoustic filling
glass wall frame and door handle	wooden (natural/black)
ceiling	sandwich panel with acoustic filling, the roof is not upholstered
flooring	carpet (anthracite grey/steel grey)
ventilation	standard air flow: 1184 m³/h maximum air flow: 1824 m³/h
lighting	Dual Light – natural and ambient light
natural light	procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI
ambient light	LED lighting with adjustable color temperature (3000K–6000K, <90 CRI) and light intensity
standard equipment	electrical socket (3×), motion sensor, Dual Light, ventilation, 7" LCD control panel
optional equipment	refer to the pricelist
color options	decorative fabric (refer to swatches)
environmental product profile	This product has an Environmental Product Declaration (EPD) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804.



The image shows a close-up of a modern office interior. On the left, a wooden handle is visible, attached to a dark green acoustic panel. The panel has a textured, fabric-like surface and is divided into horizontal sections by thin lines. To the right, a larger, solid dark green acoustic panel is visible. The overall aesthetic is minimalist and professional.

Office
landscaping




Office landscaping

GEN4 pods are more than just an acoustic solution — they form a modular system that enables the creation of functional zones tailored to various work modes. Their flexible configuration eliminates the need for structural changes, offering maximum adaptability while supporting a sustainable approach to office design.




Option 1

SPOT - CHAT² - SPOT




Option 2

FOCUS - CHAT⁴




Option 3

SPOT - SPOT - SUMMIT⁴




Option 4

SPOT - SPOT - CHAT⁴



Option 5

CHAT² - CHAT⁴





Designers of acoustic pods

Vojtěch Kaas & Jan Kalivoda – PROGRES architekti

CONTACT INFORMATION

+420 733 739 065

info@silent-lab.com

www.silent-lab.com

COMPANY ADDRESS

SilentLab s.r.o.

Za Zastávkou 373

111 01 Prague 10 – Czech Republic

PRODUCTION FACILITY

SilentLab s.r.o.

Řípská 1181/18a

627 00 Brno-Slatina – Czech Republic

The final product configuration may differ
from the versions shown in the photographs.

SilentLab® is a registered trademark.



**Co-funded by
the European Union**

All intellectual property rights ("Rights"), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. ("Content") are the property of SilentLab s.r.o. ("Owner") and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted.

Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.

version 2025.2



feel well work well

silentlab